


#5

RECEIVED

MAY 3 0 2001

TECH CENTER 1600/2900

BIOTECHNOLOGY
SYSTEMS
BRANCH

RAW SEQUENCE LISTING ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 09/637,086B

Source: 1638

Date Processed by STIC: 5/15/2001

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,**
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY**

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216.

PATENTIN 2.1 e-mail help: patin21help@uspto.gov or phone 703-306-4119 (R. Wax)

PATENTIN 3.0 e-mail help: patin3help@uspto.gov or phone 703-306-4119 (R. Wax)

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 3.0 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW:

Checker Version 3.0

The Checker Version 3.0 application is a state-of-the-art Windows based software program employing a logical and intuitive user-interface to check whether a sequence listing is in compliance with format and content rules. Checker Version 3.0 works for sequence listings generated for the original version of 37 CFR §§1.821 – 1.825 effective October 1, 1990 (old rules) and the revised version (new rules) effective July 1, 1998 as well as World Intellectual Property Organization (WIPO) Standard ST.25.

Checker Version 3.0 replaces the previous DOS-based version of Checker, and is Y2K-compliant. Checker allows public users to check sequence listings in Computer Readable form (CRF) before submitting them to the United States Patent and Trademark Office (USPTO). Use of Checker prior to filing the sequence listing is expected to result in fewer errored sequence listings, thus saving time and money.

Checker Version 3.0 can be down loaded from the USPTO website at the following address:

<http://www.uspto.gov/web/offices/pac/checker>

RECEIVED

MAY 30 2001

TECH CENTER 1600/2900

1638

RAW SEQUENCE LISTING

DATE: 05/15/2001

PATENT APPLICATION: US/09/637,086B

TIME: 11:24:50

Input Set : D:\COTTONREGAUG2000.RPT

Output Set: N:\CRF3\05152001\I637086B.raw

Does Not Comply
Corrected Diskette Needed

pp 1-5

1 <110> APPLICANT: Fincher, Karen L.
 2 La Rosa, Thomas J.
 3 McCarter, David W.
 4 Pear, Julie R.
 6 <120> TITLE OF INVENTION: Nucleic Acid Molecules And Other Molecules Associated With
 7 Plants
 9 <130> FILE REFERENCE: 38-21(51375)B
 11 <140> CURRENT APPLICATION NUMBER: US 09/637,086B
 12 <141> CURRENT FILING DATE: 2000-08-11
 14 <150> PRIOR APPLICATION NUMBER: US 60/149,881
 16 <151> PRIOR FILING DATE: 1999-08-19
 18 <160> NUMBER OF SEQ ID NOS: 52949
 20 <210> SEQ ID NO: 1
 21 <211> LENGTH: 226
 22 <212> TYPE: DNA
 23 <213> ORGANISM: Gossypium hirsutum → <220> ← insert this mandatory
 25 <223> OTHER INFORMATION: Clone ID: LIB3083-001-Q1-L1-A10 numeric identifier whenever
 27 <400> SEQUENCE: 1
 29 caatagccaa gacattgact gatctgctgg ggctaaactg aagacgggag caggtctctg 60
 31 atacttcata aaccaactc ctactgaccca gtctcagtcg gctctcatgg cagcgctcac 120
 33 atctggagat cagcatacct catcaactac taacgcctaa ctactagacc atacattgag 180
 35 accctgctga ggtagtcacc taaaatagag gcccgattc tctata 226
 38 <210> SEQ ID NO: 2
 39 <211> LENGTH: 217
 40 <212> TYPE: DNA
 41 <213> ORGANISM: Gossypium hirsutum → <220> ← same error
 43 <223> OTHER INFORMATION: Clone ID: LIB3083-001-Q1-L1-A11
 45 <400> SEQUENCE: 2
 47 tcatgattat gaaccgaag cggtgtaacc tctgcctcaa ttacaaatct acttggggga 60
 49 taatacatta gcgcaataa ctccatctcc gaagataaag gtgtacaaca ttacctccat 120
 51 cctcgaagaa cgtggccaat tcaccggcgt catcatgcta tggaaagcca cacaggctgc 180
 53 tgatcaacta atcaaccacc taaactcacc gcaccct 217
 56 <210> SEQ ID NO: 3
 57 <211> LENGTH: 199
 58 <212> TYPE: DNA
 59 <213> ORGANISM: Gossypium hirsutum → same
 61 <223> OTHER INFORMATION: Clone ID: LIB3083-001-Q1-L1-A9
 63 <400> SEQUENCE: 3
 65 ccaagcgctg ttaccctctg acttgcctct cttgtcctct ggcaaggaca catcagctca 60
 67 ctatattcct gcgccccgc ttaacgtggt caacatcact cgcctcctct acaaaagtgg 120
 69 ccaaaccacca ctttcatcat gctctgtat gccacacaac tggctgatca actaaacatc 180
 71 tcagcttatc acaccgcta 199
 74 <210> SEQ ID NO: 4
 75 <211> LENGTH: 229
 76 <212> TYPE: DNA
 77 <213> ORGANISM: Gossypium hirsutum → same
 79 <223> OTHER INFORMATION: Clone ID: LIB3083-001-Q1-L1-B10

<221>, <222>, or
 <223> is shown

RAW SEQUENCE LISTING
PATENT APPLICATION: US/09/637,086B

DATE: 05/15/2001
TIME: 11:24:50

Input Set : D:\COTTONREGAUG2000.RPT
Output Set: N:\CRF3\05152001\I637086B.raw

```

81 <400> SEQUENCE: 4
83 cggcgccgat gggcatgatt taatggagggc tgttgccct gatttctact gtgtccggca 60
85 gatctttgat ggtgaggggtg ctccaggagc tcacgattga attgtaacac ggtgttaaat 120
87 ctagaatcgc agatgtgacg ggggaaattt tacggaaaag aagggtggg aaaataccac 180
89 gtgtcacaac ttctgtgcta tagaacatct ggaggcacca ctctcagtg 229
92 <210> SEQ ID NO: 5
93 <211> LENGTH: 375
94 <212> TYPE: DNA
95 <213> ORGANISM: Gossypium hirsutum same
97 <223> OTHER INFORMATION: Clone ID: LIB3083-001-Q1-L1-B11
99 <400> SEQUENCE: 5
101 cttgctaact gtctctttcg catgggtggc tcagcgggtcc tgttgctgta ccgcogctca 60
103 tagaggccggg gagccaagta ccgactttgtg caggttggtc gaaccacaa aggggccgat 120
105 gacaaggcct accgatgcgt gtttgaagaa gaagactaat acggcaaagt tgggatatca 180
107 ttatctaaag atctcatggg tatagctgga gaggtttat aatccaacat taccacaata 240
109 gggccttttg tgttttcagg gtggggacaa ctctatttt ttctactct gttcgggcgt 300
111 taagtcttca acccccagtg gaagccttat attccagact tcaagctggc gtttgagcac 360
113 ttttgcattcc atgct 375
116 <210> SEQ ID NO: 6
117 <211> LENGTH: 162
118 <212> TYPE: DNA
119 <213> ORGANISM: Gossypium hirsutum same
121 <223> OTHER INFORMATION: Clone ID: LIB3083-001-Q1-L1-B9
123 <400> SEQUENCE: 6
125 tagaaatgga tattgcaaca taagcaccgg aaactccttt gacaagtga agaatgtta 60
127 tagctgacct tgatgatata attcgtaga ccctatgtgg aatggtcatt gtttcacttg 120
129 atgggtgtgc cttacacatg gtacagtacc aggacactac tt 162
132 <210> SEQ ID NO: 7
133 <211> LENGTH: 310
134 <212> TYPE: DNA
135 <213> ORGANISM: Gossypium hirsutum same
137 <223> OTHER INFORMATION: Clone ID: LIB3083-001-Q1-L1-C11
139 <400> SEQUENCE: 7
141 ctactttctg caattgagag aagaaacgag acgggggaaa tccaatggat ttggaaacgg 60
143 cgaagaaata cttggagaaa ggagttgggg ctgacggcga tgacaagaac gctcaacca 120
145 tcaatggcat gccttctaga ttcttcgaaa acttcatcat gcaaggctc catgttgacc 180
147 aaatcgtaaa gggtcgagtc ctttgctcca tgaaagtccc tcctcgttt ctgaacgctg 240
149 gtaatttctt gcacgggtga gctactgcat cactggtgga tttgttgga tcagcgggta 300
151 tttacaccta 310
154 <210> SEQ ID NO: 8
155 <211> LENGTH: 286
156 <212> TYPE: DNA
157 <213> ORGANISM: Gossypium hirsutum same
159 <223> OTHER INFORMATION: Clone ID: LIB3083-001-Q1-L1-C12
161 <400> SEQUENCE: 8
163 gacgattctt gttttctta ttgtaagggc ttatggggac tacatcatat ctagtgttg 60
165 tcgtttctta cccagagctg ttttaatgga cttgaacca tgaacctgg atagcttgct 120
167 tactggtccg tacggacaac ttttagacc tgattactac atttttggtc aaaatggatc 180
169 taggaataac tcgggctaag ggtcattaca ctgaatgagc tccatcgatt gattcggtc 240

```

RAW SEQUENCE LISTING

DATE: 05/15/2001

PATENT APPLICATION: US/09/637,086B

TIME: 11:24:50

Input Set : D:\COTTONREGAUG2000.RPT

Output Set: N:\CRF3\05152001\I637086B.raw

```

171 ttgatgttgt tcttaaagaa actaagaatt gtgattgctt acaaag      286
174 <210> SEQ ID NO: 9
175 <211> LENGTH: 164
176 <212> TYPE: DNA
177 <213> ORGANISM: Gossypium hirsutum same
179 <223> OTHER INFORMATION: Clone ID: LIB3083-001-Q1-L1-C9
181 <400> SEQUENCE: 9
183 ccgctctaga actagagctt ccgcatccct ggagctgtac gaatccagca cgagctcaat    60
185 tgctgccagt agacaagacg caaggggtgct ctccaattga tgcgagatgc tcattgccaa    120
187 ttccaactaa ctacttgatc aattcattcg atactacaca gctt                    164
190 <210> SEQ ID NO: 10
191 <211> LENGTH: 337
192 <212> TYPE: DNA
193 <213> ORGANISM: Gossypium hirsutum same
195 <223> OTHER INFORMATION: Clone ID: LIB3083-001-Q1-L1-D10
197 <400> SEQUENCE: 10
199 aattcgagac gagttgcgac tgagttcttg accacattct tctggaagcg cgactactct    60
201 tcaactatgt acattccacg agataaggat accgatagac cctaattgat tgactttcgt    120
203 tgaatacgaa gccgaggacg tgggcgctta cgctatgcag atgaatgttg gccatcatac    180
205 tacatataac cgaaccttgc aagccacgat gctcatgcaa gagatgtcta tggaaatccc    240
207 tggcaattca tccatgtttt ctgcagagac acactacaga gcaagggttt accaggggtgt    300
209 agtgaacatc atagctaacc tagaggagct gaagaag                    337
212 <210> SEQ ID NO: 11
213 <211> LENGTH: 362
214 <212> TYPE: DNA
215 <213> ORGANISM: Gossypium hirsutum same
217 <223> OTHER INFORMATION: Clone ID: LIB3083-001-Q1-L1-D11
219 <400> SEQUENCE: 11
221 tagaactatg tggatctcct ggtctacatg atttcgagcc gatttggtac atctgtctga    60
223 actatacatt tggggtcata tctatataca caagaatttt cgaaactcat aatgttgtaa    120
225 tcaacgccct caatggatgt agaacgattg caaagcatta tgaaaagaac aatcacaaca    180
227 cacaattttt acatgaaaat tcttttggga aaaaactatg gactgatgaa taaaaattca    240
229 ctaaagttga aaaactaatg acacatgagg agtctaggct acatctatct aaagggtgaa    300
231 ataccctggt ctaatcaaag tcatatgata gaagtacttt atggactcaa cttgtgcaat    360
233 at                    362
236 <210> SEQ ID NO: 12
237 <211> LENGTH: 345
238 <212> TYPE: DNA
239 <213> ORGANISM: Gossypium hirsutum same
241 <223> OTHER INFORMATION: Clone ID: LIB3083-001-Q1-L1-D12
243 <400> SEQUENCE: 12
245 tcctgttccct aatcaagatg agaacactgt gtacggggag cttctgcgc ctcaaccacc    60
247 acgggttccat gtgcattcct tttgcatgac ctcactgtc tcagattcat gcacccatgg    120
249 tgggttttcc ggcctcatgc ggcattgcaga ttaatgtgtt ccaccattgg acatgtcact    180
251 gcaacctaca acccaggagt tggttgctta ggatatgcat ggcattagagt ggcgattcca    240
253 gcatattttc aggggtgaac cactattgca cttgcttcaa agcggatgga gtgttcattgt    300
255 tagctcctcc aggctatggt ctagggatgc tttaatatat tttag                    345
258 <210> SEQ ID NO: 13
259 <211> LENGTH: 233

```

RAW SEQUENCE LISTING
PATENT APPLICATION: US/09/637,086B

DATE: 05/15/2001
TIME: 11:24:50

Input Set : D:\COTTONREGAUG2000.RPT
Output Set: N:\CRF3\05152001\I637086B.raw

260 <212> TYPE: DNA
261 <213> ORGANISM: Gossypium hirsutum *same*
263 <223> OTHER INFORMATION: Clone ID: LIB3083-001-Q1-L1-D9
265 <400> SEQUENCE: 13
267 tggctgtaga tctagaacta gcggatccct ggatctgttc gaatccagca cgcttatgca 60
269 cttagttaga agaaacgtga cgggggaagt ccaatggatt tggaaactgt gaataaatac 120
271 ttggagaaaag gattttgggc tgacgggaat tacatgaact ccttaccat caatggactt 180
273 ccttcattat tcttcgaaaa cttcatcatg catggtctct atgtagacca aat 233
276 <210> SEQ ID NO: 14
277 <211> LENGTH: 327
278 <212> TYPE: DNA
279 <213> ORGANISM: Gossypium hirsutum *same*
281 <223> OTHER INFORMATION: Clone ID: LIB3083-001-Q1-L1-E12
283 <400> SEQUENCE: 14
285 cgacattggt gacaatccct atctttgtcc taaaggcct ccttttcctc tccagctcct 60
287 cggctacacc aaatagcgat gcacatcact acctgttct atcatcatgt gtccactcca 120
289 gctatccaag cctttgtttt cgcacccttt catcctactc cggcccatcc aacaccctac 180
291 gatagttagc cctatccgcc gttaaagtca tccgtgccg tgcgcgttaa gagtctaact 240
293 acttgtctac tagtgtgaca tagtacaaca tgagggaact agtcgcactg attgactgag 300
295 tggagcaaat agattagtct atggatg 327
298 <210> SEQ ID NO: 15
299 <211> LENGTH: 209
300 <212> TYPE: DNA
301 <213> ORGANISM: Gossypium hirsutum *same*
303 <223> OTHER INFORMATION: Clone ID: LIB3083-001-Q1-L1-E9
305 <400> SEQUENCE: 15
307 ctcatttgct ttgtatatct actcatattc ggtggtgtct acttacgcta gaattttgt 60
309 aatacatcat gatgtcctaa acgcctacaa cggatgaaga atcactatgc tggcatttat 120
311 tataagaaaa tattgatcac acagacattt tcatgataat tctcctggga aaaaactgtc 180
313 ttctgattga ttaaaaatac actaagggt 209
316 <210> SEQ ID NO: 16
317 <211> LENGTH: 393
318 <212> TYPE: DNA
319 <213> ORGANISM: Gossypium hirsutum *same*
321 <223> OTHER INFORMATION: Clone ID: LIB3083-001-Q1-L1-F10
323 <400> SEQUENCE: 16
325 gggccataat gcatgtcata atttatgatg taaacttaaa taacatgaga gttacataat 60
327 gcatgacttt attaaatgca taacacatag tgcattgtcac aattaaaaga tgttgattaa 120
329 taatgcaaaa cattaatata agatgcatat aataaacaag acataattaa agctgaaaa 180
331 attaatataa ctaaacaaac aaccacatgc aaaacattgt atggacatgg gatgttattt 240
333 tgggtccaat aagggttggga catctcatgt tcagcccaaa cttgctgaat taggcccac 300
335 atcgaccctt taaacttctt tgatctagca catgttataa acccgatgag aatttcaatt 360
337 ggatcctctc ttgaaatagg caacttagag gtt 393
340 <210> SEQ ID NO: 17
341 <211> LENGTH: 338
342 <212> TYPE: DNA
343 <213> ORGANISM: Gossypium hirsutum *same*
345 <223> OTHER INFORMATION: Clone ID: LIB3083-001-Q1-L1-F11
347 <400> SEQUENCE: 17

RAW SEQUENCE LISTING

DATE: 05/15/2001

PATENT APPLICATION: US/09/637,086B

TIME: 11:24:50

Input Set : D:\COTTONREGAUG2000.RPT

Output Set: N:\CRF3\05152001\I637086B.raw

```

349 aaaatgtgag cattgaagac accaaaggtc ggcattgaggg tcgtttgtga agggattaaa 60
351 gctaccggcc cgaaggcaaa atcagcaacc acagcttcaa cttctaagtc aaaatgtaag 120
353 gttgatttga gactcaagat ctggtaattgg actatctgat cgacgagaat attttgagaa 180
355 agagaatcaa tgggtgaagaa aaaggtttgt tgtttatgat attttattac tcctgttatg 240
357 gttgttattt tcttaaagat gtgtcgatat ttttttatgg aggcattatg ttgcaaatt 300
359 gggatgatctg atcgataag gtatagaaaa atgtcatg 338
362 <210> SEQ ID NO: 18
363 <211> LENGTH: 395
364 <212> TYPE: DNA
365 <213> ORGANISM: Gossypium hirsutum same
367 <223> OTHER INFORMATION: Clone ID: LIB3083-001-Q1-L1-F12
369 <400> SEQUENCE: 18
371 gaaaaacgct gcttgcaggt atgtcatcat ccgataagcc agaattagtt gaaagggatg 60
373 ttaaggacaa ggtggatgac aaagaagaca acagtggatt tatagacaag gtcaagggtt 120
375 tcattcatga cattggtgag aagatcgagg aaacaatcgg ctttggcaag cctactgcag 180
377 atgtagctga gattcacctc ccttgtatca atcttgagaa agcagaaatt gtcgttgatg 240
379 tcctcataaa gaacccaaac cctgttccaa tccccctcgt cgacattgac tacctcattg 300
381 aaagtgatgg tagaaaactc ctttcaagct tgattccaga tgctggaacc atccatgctc 360
383 atgggtgagga gactgtcaaa ataccagtta ctttg 395
386 <210> SEQ ID NO: 19
387 <211> LENGTH: 200
388 <212> TYPE: DNA
389 <213> ORGANISM: Gossypium hirsutum same
391 <223> OTHER INFORMATION: Clone ID: LIB3083-001-Q1-L1-F9
393 <400> SEQUENCE: 19
395 gttacataat gcatgtcata atgtatgatg tactcgggaa tctcatgaga gttacatatt 60
397 gcatgactct ttttaattgca aaacgcatta cgcattgac ggtaactaga tgcagggcaa 120
399 tattgccaac tttacctac cgttgcgtgc cgtataccag acctgactct aagctgtctt 180
401 cctaattggg ctttccactc 200
404 <210> SEQ ID NO: 20
405 <211> LENGTH: 231
406 <212> TYPE: DNA
407 <213> ORGANISM: Gossypium hirsutum same
409 <223> OTHER INFORMATION: Clone ID: LIB3083-001-Q1-L1-G10
411 <400> SEQUENCE: 20
413 gtttttgctt acttgcctc aagattaata aaggtgttga tagaaaagat gtttatgcaa 60
415 acaaatgtat gtaaagaaga tgaacattaa agcccaaaac ttcaatcata tcttaagctt 120
417 gtttctgagt ctataattag tgaacacttc tgtattacaa cttatatata tatatattag 180
419 ttcaattctg gtcaaaaaaa aaaaacatgc tgaaaattat ataaaaataa a 231
422 <210> SEQ ID NO: 21
423 <211> LENGTH: 158
424 <212> TYPE: DNA
425 <213> ORGANISM: Gossypium hirsutum same
427 <223> OTHER INFORMATION: Clone ID: LIB3083-001-Q1-L1-G11 Please correct subsequent sequences containing this error.
429 <400> SEQUENCE: 21
431 cgcgtgtcag ctgcgagact tcttgtgatt atagaggggc aatcgtgtga ccactctgctt 60
433 gcgtcatatg ctacatcaac agattcatta ccaacgaatc gtacgtagat gagaacgaca 120
435 tacactgcta ccttgcact cttcgagtat attacat 158
438 <210> SEQ ID NO: 22

```

F51

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

VERIFICATION SUMMARY

PATENT APPLICATION: US/09/637,086B

DATE: 05/15/2001

TIME: 11:24:51

Input Set : D:\COTTONREGAUG2000.RPT

Output Set: N:\CRF3\05152001\I637086B.raw

L:1087 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:49
L:1793 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:82
L:2319 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:105
L:3503 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:156
L:4099 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:183
L:4353 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:195
L:4359 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:195
L:4405 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:197
L:4435 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:198
L:4569 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:204
L:4659 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:208
L:4711 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:210
L:4855 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:217
L:5043 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:225
L:5075 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:226
L:5115 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:228
L:5299 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:236
L:5303 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:236
L:5499 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:245
L:5549 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:247
L:5809 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:259
L:5839 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:260
L:5841 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:260
L:6009 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:268
L:6671 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:299
L:6811 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:305
L:6905 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:309
L:7139 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:319
L:7583 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:339
L:7585 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:339
L:7757 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:346
L:7897 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:352
L:8207 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:366
L:8255 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:368
L:8391 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:374
L:8557 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:382
L:8623 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:385
L:8669 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:387
L:8695 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:388
L:8719 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:389
L:8747 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:390
L:9053 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:404
L:9691 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:434
L:10541 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:475
L:11003 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:496
L:11109 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:501
L:11201 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:505
L:11319 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:510

VERIFICATION SUMMARY

DATE: 05/15/2001

PATENT APPLICATION: US/09/637,086B

TIME: 11:24:51

Input Set : D:\COTTONREGAUG2000.RPT

Output Set: N:\CRF3\05152001\I637086B.raw

L:11447 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:516

L:11485 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:518